





***Horse shoes VISANI
are the result of years of work and experience,
designed and made directly by us
in every small detail.***



SLIDER

CUTTING						
width 20 mm	SC	0	1	2	3	4



22 mm						
width 22 mm	S22	0	1	2	3	4



INCH							
width 25 mm	SI	0	1	2	3	4	5



DERBY					
width on toe 33 mm	SD	1	2	3	4



MISURA	(L x H) mm	(S) mm	CHiodo	
0	104 x 126	6	RN 4 ½	10 cp
1	106 x 134	6	RN 4 ½	10 cp
2	111 x 140	6	RN 4 ½	10 cp
3	116 x 146	6	RN 4 ½	10 cp
4	117 x 153	6	RN 4 ½	10 cp
5	118 x 160	6	RN 4 ½	10 cp

COW HORSE						
width on toe 25 mm	SCH	0	1	2	3	4 5



TOE WEIGHT 27						
width on toe 27 mm	ST27	1	2	3	4	5



TOE WEIGHT 30						
width on toe 30 mm	ST30	1	2	3	4	5



TOE WEIGHT 33						
width on toe 33 mm	ST33	2	3	4	5	



TOE WEIGHT 36					
width on toe 36 mm	ST36	2	3	4	5



TOE WEIGHT 40					
width on toe 40 mm	ST40	2	3	4	5



ASYMMETRIC 27		stamp axis rotated by 10 degrees			
width on toe 27 mm	SA27	1	2	3	4



ASYMMETRIC 30		stamp axis rotated by 5 degrees			
width on toe 30 mm	SA30	1	2	3	4



ASYMMETRIC 33		stamp axis rotated by 5 degrees		
width on toe 33 mm	SA36	2	3	4



ASYMMETRIC 36		stamp axis rotated by 5 degrees		
width on toe 36 mm	SA36	2	3	4



QUARTER				
AQ	4x0	3x0	2x0	0



steel - thickness 7 mm			
ATPQ	3x0	2x0	0




QUARTER

aluminium - thickness 10 mm				
ALAQ	4x0	3x0	2x0	0



ALATPQ	4x0	3x0	2x0	0
--------	-----	-----	-----	---





ORTHOPEDIC

BAR SHOE		square toe					
quarter clips	ATPQ (2B)	0	1	2	3	4	5
without clips	ATPQ	3X0		2X0		0	



EGG BAR SHOES		square toe					
quarter clips	AUPQ (2B)	0	1	2	3	4	5
without clips	AUPQ	3X0		2X0		0	



BAR SHOE		round toe					
toe clip	ATPT (1B)	0	1	2	3	4	5
toe clip + quarter clips	ATPT (3B)	0	1	2	3	4	5



EGG BAR SHOE		round toe					
toe clip	AUPT (1B)	0	1	2	3	4	5
toe clip + quarter clips	AUPT (3B)	0	1	2	3	4	5



ONION HEEL		square toe					
quarter clips	ATCPQ (2B)	0	1	2	3	4	5
without clips	ATCPQ	3X0		2X0		0	



ONION HEEL		round toe					
toe clip	ATCPT (1B)	0	1	2	3	4	5
toe clip + quarter clips	ATCPT (3B)	0	1	2	3	4	5



TOE WIDE		round toe					
toe clip	APC (1B)	0	1	2	3	4	5
toe clip + quarter clips	APC (3B)	0	1	2	3	4	5



TOE WEIGHT		round toe					
toe clip	APL (1B)	0	1	2	3	4	5
toe clip + quarter clips	APL (3B)	0	1	2	3	4	5
without clips	APL	3X0		2X0		0	



ASYMMETRICAL		square toe					
quarter clips	AASPQ (2B)	0	1	2	3	4	5
without clips	AASPQ	3X0		2X0		0	



ASYMMETRICAL		round toe					
toe clip	AASPT (1B)	0	1	2	3	4	5
toe clip + quarter clips	AASPT (3B)	0	1	2	3	4	5
without clips	AASPT	3X0		2X0		0	



EQUIBALANCE		square toe					
quarter clips	AEQ (2B)	0	1	2	3	4	5
without clips	AEQ	3X0		2X0		0	



HEART BAR		square toe					
quarter clips	ATCU (2B)	0	1	2	3	4	5
without clips	ATCU	3X0		2X0		0	



CENTRAL BAR		square toe					
quarter clips	ATTC (2B)	0	1	2	3	4	5
without clips	ATTC	3X0		2X0		0	



CROSSED BAR		square toe					
quarter clips	ATCR (2B)	0	1	2	3	4	5
without clips	ATCR	3X0		2X0		0	



ORTHOPEDIC FRONT HORSE SHOES			
SIZE	DIMENSIONS (W x H) mm	NAIL	THICKNESS
3x0	117 x 120	FJ	6 mm
2x0	123 x 126	FJ	6 mm
0	120 x 148	FJ / E	7 mm
1	126 x 155	E	7 mm
2	134 x 164	E	7/8 mm
3	141 x 174	E	7/8 mm
4	148 x 182	E	7/8 mm
5	156 x 190	E	7/8 mm



BAR SHOE								
quarter clips	PT	2x0	0	1	2	3	4	5



EGG BAR SHOE								
quarter clips	PU	2x0	0	1	2	3	4	5



ASYMMETRICAL		square toe						
quarter clips	PASPQ	2x0	0	1	2	3	4	5



ASYMMETRICAL		round toe						
quarter clips	PASPT	2x0	0	1	2	3	4	5



TOE WEIGHT								
quarter clips	PPL	2x0	0	1	2	3	4	5



TOE WIDE								
quarter clips	PPC	0	1	2	3	4	5	



HEART BAR								
quarter clips	PTCU	2x0	0	1	2	3	4	5



CENTRAL BAR								
quarter clips	PTTC	2x0	0	1	2	3	4	5



ONION HEEL								
quarter clips	PTC	2x0	0	1	2	3	4	5



ORTHOPEDIC HIND HORSE SHOES

SIZE	DIMENSIONS (W x H) mm	NAIL	THICKNESS mm
2x0	114 x 130	E	7
0	120 x 135	E	7
1	126 x 142	E	7
2	134 x 150	E	8
3	141 x 156	E	8
4	148 x 166	E	8
5	156 x 176	E	8

PAD					polyurethane				
three intensity of hardness					S soft	I intermediate		R rigid	
wedge 3° (1-10mm)					flat thickness 4 mm				
SOLC	S	I	R	180 x 200	SOLP	S	I	R	180 x 200



PAD MESH					polyurethane			
					flat thickness 2 mm			
					SOLM	175 x 185		

PAD COMFORT-HEEL					polyurethane with insert heel			
wedge 3° (1-10mm)					180 x 200 mm / 1-10 mm			



shock absorber insert		SOLCSA		leather insert		SOLCIC	
-----------------------	--	--------	--	----------------	--	--------	--

PAD

leather



SOLCUOP	140 x 150	sp 3,5 mm
SOLCUOM	155 x 165	sp 4,0 mm
SOLCUOG	175 x 185	sp 4,5 mm

LEATHER SHEET

leather



GRCUO35	sp 3,5 mm
GRCUO45	sp 4,5 mm
GRCUO55	sp 5,5 mm

RIVETS

alluminium countersunk head

Ø 4 x 40 mm

100 pcs

250 pcs

500 pcs



RIBAL100	100 pz
RIBAL250	250 pz
RIBAL500	500 pz



CUSHION 20

Self-leveling bicomponent adhesive polyurethane, for shock absorbing pads.

C20-50	50 ml
C20-180	180 ml

CUSHION 40

Self-leveling bicomponent adhesive polyurethane, for protection pads.

C40-50	50 ml
C40-180	180 ml

CUSHION 60

Self-leveling bicomponent adhesive polyurethane, for supportary pads.

C60-50	50 ml
C60-180	180 ml

CURATIVE SOLUTION

Self-leveling bicomponent adhesive, for medicated protective plantar pads.

CS-180	180 ml
--------	--------



FIX FAST WHITE

Bicomponent adhesive polyurethane, for bonding and extending, light color.

FFW-50	50 ml
FFW-180	180 ml

FIX FAST BLACK

Bicomponent adhesive polyurethane, for bonding and extending, black color.

FFB-50	50 ml
FFB-180	180 ml

REPAIR WHITE

Bicomponent adhesive polyurethane, for repairs and reconstructions, light color.

RW-50	50 ml
RW-180	180 ml

REPAIR BLACK

Bicomponent adhesive polyurethane, for repairs and reconstructions, black color.

RB-50	50 ml
RB-180	180 ml

BICOMPONENT

methacrylate



REBUILD WHITE

Adhesive methacrylate for repairs and reconstructions, light color.

MRW50	50 ml
MRW400	400 ml



REBUILD BLACK

Adhesive methacrylate for repairs and reconstructions, black color.

MRB400	400 ml
--------	--------

BICOMPONENT

silicone



SOFT PAD

Bicomponent for plantar pads, gray color, hand mixing (A + B) 20 shA.

SP500	500 ml
SP1000	1000 ml
SP2000	2000 ml



DISPENSER GUN

Dispenser gun for bicomponent cartridges 180 ml and 400 ml.

DSP180	per 180 ml
DSP400	per 400 ml



DISPENSER GUN

Dispenser gun for bicomponent cartridges 50 ml.

DSP50	per 50 ml
-------	-----------

HAND DISPENSER

Hand dispenser for 400 ml REBUILD methacrylate bicomponent cartridges.

DSPM400	per 400 ml
---------	------------





MIXER ROUND

Mixing round for bicomponent cartridges.


CMIX50	per 50 ml
CMIX180	per 180 ml



PLASTIC MESH

Plastic mesh in roll.

RETP	180x2500 mm
------	-------------



METAL MESH

Metal mesh for resin anchorage, wall reconstruction and crack closure.

RETM	120x120 mm
------	------------

EQUIPMENT

accessori



HANDLE PUNCH

Handle punc with interchangeable punchhead.

STPP	
------	--

PUNCH

HSS steel punch for high temperatures.

PUNZRN	stampa RN
PUNZFJ	stampa FJ
PUNZE	stampa E

PADDOCK

aluminium 4 mm

6 toolholder doors

PDK	320 x 200 x 450	L x P x H
------------	-----------------	-----------



TOOL BOX CART

aluminium 4 mm

wheels on bearings Ø 80 mm

sheets tray with teflon rolls

lower compartment with door

CARP	300 x 320 x 580	L x P x H
-------------	-----------------	-----------

CARG	330 x 400 x 700	L x P x H
-------------	-----------------	-----------

FOOT STAND

aluminium (round base thickness 8 mm)

rubber pad

3 toolholder compartments

Ø 400 x h 550 mm

CAV	400 x 520	Ø x H
------------	-----------	-------



This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



VISANI HORSESHOES

VIA DEL PRADELLO, 2 FORLÌ (FC) ITALY

+39 392 3210405 +39 328 3663499

www.visanihorseshoes.it info@visanihorseshoes.it



**I NOSTRI FERRI DA CAVALLO
NON SONO PRODOTTI DA MACCHINE,
MA DALLA NOSTRA PASSIONE.**